

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10496	(714/718 or 714/719 or 714/42, or 714/25, or 714/720 or 714/30 or 714/799 or 714/819 or 365/200 or 365/201).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:54
L2	4843	L1 and test\$3.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:54
L3	361	L2 AND (WRIT\$3 with ("one bit" or "1-bit" or "1 bit"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 14:36
L4	349	L3 and @ad<"20031124"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:54
L5	331	L4 and memory.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:54
L6	201	L5 and (address with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:54
L7	162	L6 and (data with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:54
L8	87	L7 and (clock with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:54
L9	60	L8 AND (((one adj bit) or ("1" adj bit)) with memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:54
L10	60	l9 and (address with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:55
L11	60	l10 and (data with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:56
L12	60	l11 and (clock with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 08:33
L13	1	10/723,278	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 08:01
L14	60	l12 and ((single or one or "1") adj bit)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 12:24

## EAST Search History

L22	5605	(single adj bit) with memory	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 13:02
L23	222	l22 and (external adj clock)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 13:02
L24	80	l23 and (clock adj generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 13:26
L26	44	l24 and (data adj generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 13:02
L27	32	l26 and (address adj generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 13:03
L28	138554	test\$3	EPO; JPO	OR	ON	2006/02/21 14:36
L29	13978	l28 and memory	EPO; JPO	OR	ON	2006/02/21 14:37
L30	305	l29 and (address adj generat\$3)	EPO; JPO	OR	ON	2006/02/21 14:37
L31	14	l30 and (clock adj generat\$3)	EPO; JPO	OR	ON	2006/02/21 14:49
L32	152141	ito.in.	EPO; JPO	OR	ON	2006/02/21 14:49
L33	20748	ito-m\$.in.	EPO; JPO	OR	ON	2006/02/21 14:49
L34	7	l33 and (clock adj generator)	EPO; JPO	OR	ON	2006/02/21 14:50
L35	2	l33 and (data adj generator)	EPO; JPO	OR	ON	2006/02/21 14:51
L36	3	l33 and (address adj generator)	EPO; JPO	OR	ON	2006/02/21 14:52
L37	15	l33 and (address adj generat\$3)	EPO; JPO	OR	ON	2006/02/21 14:52
S3	30169	ITO-M\$.IN. OR NEC.AS.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:16
S4	888	S3 AND TEST\$3.CLM.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:20
S5	8	S4 AND (WRIT\$3 with ("one bit" or "1-bit" or "1 bit")).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:03
S6	10483	(714/718 or 714/719 or 714/42, or 714/25, or 714/720 or 714/30 or 714/799 or 714/819 or 365/200 or 365/201).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:49
S7	10483	(714/718 or 714/719 or 714/42, or 714/25, or 714/720 or 714/30 or 714/799 or 714/819 or 365/200 or 365/201).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:49

## EAST Search History

S8	4839	S7 and test\$3.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:01
S9	361	S8 AND (WRIT\$3 with ("one bit" or "1-bit" or "1 bit"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:07
S10	349	S9 and @ad<"20031124"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:10
S11	10483	(714/718 or 714/719 or 714/42, or 714/25, or 714/720 or 714/30 or 714/799 or 714/819 or 365/200 or 365/201).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:11
S12	4839	S11 and test\$3.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:11
S13	361	S12 AND (WRIT\$3 with ("one bit" or "1-bit" or "1 bit"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:39
S14	349	S13 and @ad<"20031124"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:11
S15	331	S14 and memory.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:17
S16	201	S15 and (address with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:55
S17	162	S16 and (data with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:56
S18	87	S17 and (clock with generat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/21 07:56
S19	10483	(714/718 or 714/719 or 714/42, or 714/25, or 714/720 or 714/30 or 714/799 or 714/819 or 365/200 or 365/201).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:43
S20	4839	S19 and test\$3.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:43
S21	361	S20 AND (WRIT\$3 with ("one bit" or "1-bit" or "1 bit"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:43
S22	349	S21 and @ad<"20031124"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 16:43